



Honesty, Cooperation, Innovation



***Everlasting Quality***

**Henli Industrial Co.,Ltd**  
**Xinhaofang Building No.188 Shennan Road**  
**Shenzhen China.**

**Tel: 86-755-86182128**

**Fax: 86-755-86182889**

**Email: [sales@henlisteel.com](mailto:sales@henlisteel.com)**

**Website: [www.henlisteel.com](http://www.henlisteel.com)**

### HENLI PACKING TERM



**HLP A**




**HLP B**



**HLP C**



**HLP D**








**HLP E**



**HLP G**

Henli steel product, strictly packed according to the international packing standards, using good quality packing materials, and packing by modern packing machines. With the long historical experience in steel wire production and packing, we have been improving and developing the packing designs and methods energetically. High quality with a full serial of packing which is excellent for sea worthy export usage is presented for you valued customers. Good packing brings from Henli makes more profits for you.

# 1. PACKING TERMS: HLPA/C/F



**HLPA**

**HLPC**

**HLPF**



**Packing detailed data:**

**PACKING TERM HLPA (Small coils):**

Wire Diameter	Coil Inner Diameter	Coil Weight
0.3mm-0.6mm	160mm-200mm	20-30kg
0.7mm-1.0mm	330mm-380mm	40-60kg
1.1mm-2.5mm	440mm-500mm	100-120kg
2.6mm-5.0mm	610mm-700mm	200-300kg
5.1mm-12.0mm	850mm-950mm	300-500kg




**PACKING TERM HLPC (Big coils):**

Wire Diameter	Coil Inner Diameter	Coil Weight
2.0mm-6.0mm	420mm or 440mm	400kg-900kg

**PACKING TERM HLPF (Steel frame):**

Wire Diameter	Coil Inner Diameter	Coil Height	Coil Weight
2.0mm-6.0mm	160mm	1250mm	600-1000kg


## 2. PACKING TERM: HLPB (Z2)



**HLPB**



## PACKING DETAILS:




*ONE COIL WEIGHT: 450-500KG*  
*BOTH COILS IN THE WOODEN PALLET*

This kind of packing is perfect to pack:

- 1) Bright steel wire 0.7 - 2.0mm
- 2) Bead wire 0.78-2.1mm
- 3) Galvanized steel wire 0.7 - 2 .0mm

Characteristics: International standard Z2 packing; steel wires are tightly winded; good for the high speed machine; covered with vacuum PVC packing; fumigated wooden pallet protecting wires all the way.

### 3. PACKING TERM: HLPD (D300)




This kind of packing is perfect to pack:

- 1) High tensile strength steel wire 0.15-0.6mm
- 2) CO2 weld wire 0.8-1.6mm

Characteristics: wires are winded at reel way, good for high speed unwinding; International D300 standard, vacuum-sealed packed with PVC.

## 4. PACKING TERM: HLPE



This packing is perfect to pack:

PC strand (all the sizes)

Weigh: 2.0-3.5 tons

Characteristics: double Sea worthy export PVC paper, preventing from rusting.

## 5 .Winding of wires and strands



NOTE:

HLP A, HLP C, HLP F using ORBIT winding term

HLP B, HLP D, HLP F using REEL winding term